Abstract Submitted for the MAR12 Meeting of The American Physical Society

Colloidal aggregation in microgravity by critical Casimir forces¹ SANDRA VEEN, PETER SCHALL, OLEG AN-TONIUK, Van der Waals Zeeman Institute - University of Amsterdam, MARCO POTENZA, MATTEO ALAIMO, University of Milan, STEFANO MAZZONI, European Space Agency, GERARD WEG-DAM, Van der Waals Zeeman Institute - University of Amsterdam, VAN DER WAALS ZEEMAN INSTITUTE - UNIVERSITY OF AMS-TERDAM COLLABORATION, OPTICS AND MICROGRAVITY RE-SEARCH LABORATORY - UNIVERSITY OF MILAN COLLABORA-TION, PHYSICAL SCIENCE UNIT HUMAN SPACEFLIGHT AND OPERATIONS - EUROPEAN SPACE AGENCY COLLABORATION — We study aggregation and crystal growth of spherical Teflon colloids in binary liquid mixtures in microgravity by the critical Casimir effect. The critical Casimir effect induces interactions between colloids due to the confinement of bulk fluctuations (density or concentration) near the critical point of liquids. The strength and range of the interaction depends on the length scale of these fluctuations which increase as one approaches the critical point. The interaction potential can thus be tuned with temperature. We follow the growth of structures in real time with Near Field Scattering. Measurements are performed in microgravity in order to study pure diffusion limited aggregation, without disturbance by sedimentation or flow.

¹NWO/NSO/ESA

Sandra Veen Van der Waals Zeeman Institute - University of Amsterdam

Date submitted: 10 Nov 2011 Electronic form version 1.4