

Abstract Submitted
for the MAR13 Meeting of
The American Physical Society

Self-folding polyhedra and analogies to biomolecular assembly

SHIVENDRA PANDEY, Department of Chemical and Biomolecular Engineering, Johns Hopkins University, Baltimore, MD 21218, GOVIND MENON, Division of Applied Mathematics, Brown University, Providence, RI 02906, DAVID GRACIAS, Department of Chemical and Biomolecular Engineering, Johns Hopkins University, Baltimore, MD 21218 — We detail model studies aimed at uncovering design principles that govern the self-assembly of polyhedral structures from two-dimensional precursors using surface tension forces. For a given polyhedron, there are a very large number of two-dimensional precursor nets that can be utilized, and remarkably many of these will self-assemble but with varying yields. We uncovered design rules that suggest striking analogies to biomolecular assembly such as observed in proteins and viruses. For example our studies revealed that the compactness of two-dimensional nets determines the yield of self-folding polyhedra and that certain intermediates and pathways were preferred. Consequently, a search algorithm was implemented to screen the large numbers of nets (e.g. 2.3 million for the truncated octahedron) and find high-yielding precursors. This assembly process represents a model system that can be utilized to design and then visualize self-assembly processes. The model system, design rules and findings will be discussed. References: S. Pandey, M. Ewing, A. Kunas, N. Nguyen, D. H. Gracias and G. Menon, Algorithmic design of self-folding polyhedra, *PNAS* 108, 50, 19885-19890 (2011).

Shivendra Pandey
Department of Chemical and Biomolecular Engineering,
Johns Hopkins University, Baltimore, MD 21218

Date submitted: 27 Nov 2012

Electronic form version 1.4