

Abstract Submitted  
for the MAR13 Meeting of  
The American Physical Society

**Growth and Properties of  $Mn_xGa$  Magnetic Nanostructures<sup>1</sup>**

MICHELLE JAMER, BADIH A. ASSAF, Physics Department, Northeastern University, MARIUS EICH, MIT Francis Bitter Magnet Lab, JAGADEESH S. MOODERA, MIT Francis Bitter Magnet Lab, Physics Department, MIT, DON HEIMAN, Physics Department, Northeastern University — Rare-Earth (RE) magnets are becoming more expensive and less available for current applications in technology.  $Mn_xGa$  ( $x=2-3$ ) has previously shown coercivity of  $> 2.5$  T, close to that of RE magnets.<sup>2</sup> In this project, the vapor-liquid-solid (VLS) method was used to grow nanoparticles of  $Mn_xGa$  ( $x=1-3$ ) with MBE. The goal was to study the magnetic properties as a function of reduced dimensionality. The samples were prepared by depositing a 3-6 nm layer of Au on Si, GaAs, and glass. It was found that the miscibility of Ga and Au is high, but for Mn and Au it is much lower. Therefore, during the growth process Ga was deposited on the gold catalyst followed by Mn deposition. The samples were then annealed at temperatures 100-500 °C. Nanostructures, including regions of nanowires, were found using scanning electron microscopy on all samples. The magnetic properties of the nanostructured samples were studied with SQUID magnetometry and found to have a magnetization of 200 emu/cm<sup>3</sup>.

<sup>1</sup>Work supported by NSF-DMR-0907007 and NSF-DMR-0819762.

<sup>2</sup>T.J. Nummy, S.P Bennett, T. Cardinal, and D. Heiman, *Large Coercivity in Nanostructured Rare-earth-free  $Mn_xGa$  Films*, Appl. Phys. Lett. **99**, 252506 (2011).

Michelle Jamer  
Northeastern University

Date submitted: 17 Nov 2012

Electronic form version 1.4