

Abstract Submitted
for the MAR13 Meeting of
The American Physical Society

Magnetic Re-
versal of Onion-Like $\text{Fe}_3\text{O}_4|\text{MnO}|\gamma\text{-Mn}_2\text{O}_3$ Core|Shell|Shell Nanoparticles

KATHRYN KRYCKA, JULIE BORCHERS, NIST Center for Neutron Research, MARK LAVER, Paul Scherrer Institute, GERMAN SALAZAR-ALVEREZ, Stockholm University, ALBERTO LOPEZ-ORTEGA, CIN2(ICN-CSIC) and Universitat Autònoma de Barcelona, MARTA ESTRADER, Stockholm University, SANTIAGO SURINACH, MARIA BARO, Universitat Autònoma de Barcelona, JORDI SORT, Universitat Autònoma de Barcelona and ICREA, JOSEP NOGUES, CIN2(ICN-CSIC) and Universitat Autònoma de Barcelona and ICREA, FM—AFM—FM NANOPARTICLES COLLABORATION — Magnetic nanoparticles offer potential for biomedical and data storage applications, especially with exchange bias to overcome the superparamagnetic limit. Here we study the role of an antiferromagnetic layer sandwiched between a soft ferrimagnetic core and hard ferrimagnetic shell. The nanoparticles studied consist of 3 nm (diameter) Fe_3O_4 |50-60 nm thick MnO shell |5 nm thick $\gamma\text{-Mn}_2\text{O}_3$ shell [1]. Small-angle neutron scattering (SANS) probes both structural and magnetic morphology. SANS reveals that during reversal from 5 T to -5 T at 5 K, there is an increase in spins oriented perpendicular to the applied field. As the temperature is increased to 150 K (above the 123 K Néel temperature of MnO) evidence of an enhanced magnetism from within the MnO shell is observed. Finally, the scattering pattern shifts (indicating a change in the relative magnetism as a function of radius) between 5 K and 50 K.

[1] A. López-Ortega *et al.*, *Nanoscale* 4, 5138 (2012); Salazar-Alvarez *et al.*, *J. Am. Chem. Soc.*, 133, 16738 (2011)

Kathryn Krycka
NIST Center for Neutron Research

Date submitted: 17 Nov 2012

Electronic form version 1.4