

Abstract Submitted
for the MAR13 Meeting of
The American Physical Society

Interfacial

Magnetic Response of $\text{PbZr}_{0.2}\text{Ti}_{0.8}\text{O}_3$ / $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$ Heterostructures

SAN-WEN CHEN, HONGYU GUO, University of California San Diego, KARINE DUMESNIL, University H. Poincare - Nancy 1, VALERIA LAUTER, Oak Ridge National Lab, CECILIA SANCHEZ-HANKE, Brookhaven National Lab, EDWIN FOHTUNG, MOSES MARSH, OLEG SHPYRKO, ERIC FULLERTON, SUNIL SINHA, University of California San Diego — There is increasing interest in modifying magnetism by electric fields for both scientific and technological point of view. In a ferromagnetic/piezoelectric composite structure, it is reported that the electric field can alter both the Curie temperature and the magnetization in the ferromagnetic material by inducing charge accumulation or depletion at the interface.¹ To understand the detailed changes in the magnetization profile at the interface, we performed both polarized neutron reflectivity and resonant soft X-ray reflectivity measurements on an epitaxially grown $\text{PbZr}_{0.2}\text{Ti}_{0.8}\text{O}_3$ (PZT)/ $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$ (LSMO) bilayer. A clear magneto-electric effect was observed below the Curie temperature of LSMO; i.e., the magnetization in LSMO decreases when the electric field was applied. The magnetization depth profile as a function of applied electric field will be presented.

¹H. J. A. Molegraaf et al. *Adv. Materials* **21**, 3470 (2009).

²This work is supported by DOE/BES through grant number DW-SC0003678.

San-Wen Chen
University of California San Diego

Date submitted: 09 Nov 2012

Electronic form version 1.4