

Abstract Submitted
for the MAR13 Meeting of
The American Physical Society

Thickness-Independent Transport Channels in Topological Insulator Bi₂Se₃ Thin Films NAMRATA BANSAL, Rutgers University, YONGSEUNG KIM, Sejong University, MATTHEW BRAHLEK, ELIAV EDREY, NIKESH KOIRALA, SEONGSHIK OH¹, Rutgers University — With high quality Bi₂Se₃ thin films grown on Al₂O₃(0001), we report thickness-independent transport properties over wide thickness ranges. Low temperature conductance remained nominally constant as the sample thickness changed from 256 to ~ 8 QL (where QL refers to quintuple layer, $1\text{QL} \approx 1\text{nm}$). Two surface channels with very different behaviors were identified. The sheet carrier density of one channel remained constant at $\sim 3 \times 10^{13} \text{cm}^{-2}$ down to 2QL, while the other, which exhibited quantum oscillations, remained constant at $\sim 8 \times 10^{12} \text{cm}^{-2}$ only down to ~ 8 QL. The weak antilocalization effect also exhibited similar thickness independence. These two channels are most consistent with the topological surface states and the surface accumulation layers, respectively. We will also discuss surface signatures present in Bi₂Se₃ thin films grown on Si(111) and amorphous SiO₂.

¹Correspondence should be addressed to ohsean@physics.rutgers.edu

Namrata Bansal
Rutgers University

Date submitted: 11 Nov 2012

Electronic form version 1.4