

Abstract Submitted  
for the MAR15 Meeting of  
The American Physical Society

**Self-affine parameters of fracture surfaces of high strength steels**

MOISÉS HINOJOSA, ELISA SCHAEFFER, YOSHUA GUZMÁN, JORGE ALDACO, Universidad Autónoma de Nuevo León — We report the experimental study of crack nucleation and propagation on AISI 4340 and Premomet steels, submitted to different thermal treatments that resulted in different properties and microstructures. Crack initiation and propagation under fatigue, tension and impact conditions were analyzed at different lengthscales. The SEM fractographic study allowed the correlation of the observed mechanisms with the patterns observed on the fracture surfaces. The scaling properties were explored and correlated to the observed mechanisms. Using the topographic data of 3D reconstructed surfaces obtained by laser scanning, we calculated both global and local roughness exponents using different variable-bandwidth methods, obtaining the statistical distributions as a function of the orientation. Although the results tend to the same average global value (close to 0.8) for both steels regardless of the heat-treating condition, their statistical distributions are sensitive to the anisotropy of the microstructure, we also found a correlation of the local roughness exponents with the local orientation of the microstructure and the dimples observed on the fracture surfaces.

Moisés Hinojosa  
Universidad Autónoma de Nuevo León

Date submitted: 14 Nov 2014

Electronic form version 1.4