

Abstract Submitted
for the MAR15 Meeting of
The American Physical Society

Strain control of oxygen stoichiometry in epitaxial perovskites¹

HO NYUNG LEE, TRICIA MEYER, JONATHAN PETRIE, SHINBUHM LEE, JOHN NICHOLS, Oak Ridge National Laboratory, S.S. AMBROSE SEO, University of Kentucky, JOHN FREELAND, Argonne National Laboratory — Many physical properties of transition metal oxides (TMOs) are critically dependent upon the oxidation state of transition metals. Thus, a precise control of oxygen stoichiometry is critical to unambiguously understand many intriguing properties and functionalities. Based on a recent discovery of TMO-based oxygen sponges that can shed or absorb oxygen at highly reduced temperatures as low as 200 °C [Jeen *et al.*, Nature Mater. **12**, 1057 (2013) and Choi *et al.*, Phys. Rev. Lett. **111**, 097401 (2013)], we have explored various complex oxide materials to control the oxygen stoichiometry and, thereby, the critical physical properties. The latter include superconductivity in doped La_2CuO_4 , metal-insulator transition in VO_2 , and electronic and ionic conductivity as well as magnetism in SrCoO_{3-d} . In particular, by tuning strain systematically via lattice mismatching, we found that the epitaxial strain is a great tool to create functional defects that are critical in discovering new functionalities and/or improving the performance of materials especially for electronic and ionic conduction in complex oxides.

¹The work was supported by the U.S. Department of Energy, Office of Science, Basic Energy Sciences, Materials Sciences and Engineering Division.

Ho Nyung Lee
Oak Ridge National Laboratory

Date submitted: 14 Nov 2014

Electronic form version 1.4