

Abstract Submitted  
for the MAR16 Meeting of  
The American Physical Society

**Pairing of fermions with unequal charges in an artificial magnetic field** NUR UNAL, Cornell Univ, M. O. OKTEL, Bilkent Univ — Artificial magnetic fields (AMFs) created for ultra cold systems depend sensitively on the internal structure of the atoms. In a mixture, each component couples to the AMF with a different charge. This enables the study of Bardeen-Cooper-Schrieffer pairing of fermions with unequal charges. We investigate the superconducting (SC) transition of a system formed by such pairs as a function of the field strength. We consider a homogeneous two-component Fermi gas of unequal charges but equal densities with attractive interactions. We find that the phase diagram is altered drastically compared to the usual equal charge case. First, for some AMFs there is no SC transition and isolated SC phases are formed, reflecting the discrete Landau level (LL) structure. SC phases become reentrant both in AMF and temperature. For extremely high fields where both components are confined to their lowest LLs, the effect of the charge imbalance is suppressed. Charge asymmetry reduces the critical temperature even in the low-field semiclassical regime. We discuss a pair breaking mechanism due to the unequal Lorentz forces acting on the components of the Cooper pairs to identify the underlying physics.

Nur Unal  
Cornell Univ

Date submitted: 30 Oct 2015

Electronic form version 1.4