

Abstract Submitted
for the MAR16 Meeting of
The American Physical Society

Orientationally Misaligned Zipping of Lateral Graphene and Boron Nitride Nanoribbons with Minimized Strain Energy and Enhanced Half-Metallicity¹ JIANG ZENG, University of Science and Technology of China, WEI CHEN, Harvard University, PING CUI, University of Science and Technol-

ogy of China, DONG-BO ZHANG, Beijing Computational Science Research Center, ZHENYU ZHANG, University of Science and Technology of China — Lateral heterostructures of two-dimensional materials may exhibit various intriguing emergent properties. Yet when specified to the orientationally aligned heterojunctions of zigzag graphene and hexagonal boron nitride (hBN) nanoribbons, realizations of the high expectations on their properties encounter two standing hurdles. First, the rapid accumulation of strain energy prevents large-scale fabrication. Secondly, the pronounced half-metallicity predicted for freestanding graphene nanoribbons is severely suppressed. By properly tailoring orientational misalignment between zigzag graphene and chiral hBN nanoribbons, here we present a facile approach to overcome both obstacles. Our first-principles calculations show that the strain energy accumulation in such heterojunctions is significantly diminished for a range of misalignments. More strikingly, the half-metallicity is substantially enhanced from the orientationally aligned case, back to be comparable in magnitude with the freestanding case. The restored half-metallicity is largely attributed to the recovered superexchange interaction between the opposite heterojunction interfaces. The present findings may have important implications in eventual realization of graphene-based spintronics.

¹This work was supported by the National Natural Science Foundation of China and the National Key Basic Research Program of China.

Jiang Zeng
Univ of Sci
Tech of China

Date submitted: 04 Nov 2015

Electronic form version 1.4