

Abstract Submitted  
for the MAR16 Meeting of  
The American Physical Society

**Mirror symmetry and the half-filled Landau level** MICHAEL MULLIGAN, SHAMIT KACHRU, Stanford University, GONZALO TORROBA, Centro Atómico Bariloche and CONICET, HUAJIA WANG, University of Illinois at Champaign-Urbana — We study the dynamics of the half-filled zeroth Landau level of Dirac fermions using mirror symmetry, a supersymmetric duality between certain pairs of  $2 + 1$ -dimensional theories. We show that the half-filled zeroth Landau level of a pair of Dirac fermions is dual to a pair of Fermi surfaces of electrically-neutral composite fermions, coupled to an emergent gauge field. Thus, we use supersymmetry to provide a derivation of flux attachment and the emergent Fermi liquid-like state for the lowest Landau level of Dirac fermions. We find that in the dual theory the Coulomb interaction induces a dynamical exponent  $z = 2$  for the emergent gauge field, making the interactions classically marginal. This enables us to map the problem of  $2+1$ -dimensional Dirac fermions in a finite transverse magnetic field, interacting via a strong Coulomb interaction, into a perturbatively controlled model. We analyze the resulting low-energy theory using the renormalization group and determine the nature of the BCS interaction in the emergent composite Fermi liquid.

Michael Mulligan  
Stanford University

Date submitted: 06 Nov 2015

Electronic form version 1.4