

Abstract Submitted  
for the MAR16 Meeting of  
The American Physical Society

**Electronic transport in the quantum spin Hall state due to the presence of adatoms in graphene**<sup>1</sup> LEANDRO LIMA, CAIO LEWENKOPF, Federal Fluminense University — Heavy adatoms, even at low concentrations, are predicted to turn a graphene sheet into a topological insulator with substantial gap. The adatoms mediate the spin-orbit coupling that is fundamental to the quantum spin Hall effect. The adatoms act as local spin-orbit scatterer inducing hopping processes between distant carbon atoms giving origin to transverse spin currents. Although there are effective models that describe spectral properties of such systems with great detail, quantitative theoretical work for the transport counterpart is still lacking. We developed a multiprobe recursive Green's function technique with spin resolution to analyze the transport properties for large geometries. We use an effective tight-binding Hamiltonian to describe the problem of adatoms randomly placed at the center of the honeycomb hexagons, which is the case for most transition metals. Our choice of current and voltage probes is favorable to experiments since it filters the contribution of only one spin orientation, leading to a quantized spin Hall conductance of  $e^2/h$ . We also discuss the electronic propagation in the system by imaging the local density of states and the electronic current densities.

<sup>1</sup>The authors acknowledge the Brazilian agencies CNPq, CAPES, FAPERJ and INCT de Nanoestruturas de Carbono for financial support

Leandro Lima  
Federal Fluminense University

Date submitted: 06 Nov 2015

Electronic form version 1.4