

Abstract Submitted
for the MAR16 Meeting of
The American Physical Society

Magnetic localization limit in T_C graded ferromagnetic thin films

BRIAN KIRBY, National Institute of Standards and Technology, LORENZO FAL-LARINO, PATRICIA RIEGO, MATTEO PANCALDI, ANDREAS BERGER, CIC nanoGune Consolider, CASEY MILLER, Rochester Institute of Technology — We have recently demonstrated that the effective Curie temperature (T_C) of a ferromagnetic alloy thin film can be continuously varied as a function of depth via a corresponding compositional gradient.[1] This work showed that the effective T_C can be made to vary continuously over tens of nm. However, over a short enough distance, the system must become localized, with exchange coupling dominating the effects of the compositional gradient. Understanding this localization limit is important for potential applications, as it dictates the length-scale below which this technique stops being a viable engineering tool (at least for itinerant ferromagnets and their thermodynamic properties). To determine the localization limit in this class of system, we have fabricated a series of $\text{Co}[1-x]\text{Cr}[x]$ alloy alloy films, where x varies sinusoidally between 0.28 (nominal $T_C \approx 250$ K) and 0.22 ($T_C > 300$ K), and have used polarized neutron reflectometry to study samples of differing oscillation wavelength. These measurements confirm the desired sinusoidal pattern was achieved, and reveal the temperature-dependence of the magnetic depth profile. Results will be presented in the context of mean-field simulations. [1] arXiv:1510.07535 [cond-mat.mtrl-sci].

Brian Kirby
National Institute of Standards and Technology

Date submitted: 06 Nov 2015

Electronic form version 1.4