

Abstract Submitted
for the MAR17 Meeting of
The American Physical Society

Superconductivity in multiple phases of compressed GeSb₂Te₄¹

ALEXANDER PALEVSKI, ERAN GREENBERG, BAR HEN, SAMAR LAYEK, IRINA POZIN, MICHAEL KARPOVSKI, VICTOR SHELUKHIN, MOSHE PAZ, GREGORY ROZENBERG, YORAM DAGAN, YURI ROSENBERG, Raymond and Beverly Sackler School of Physics and Astronomy, Tel-Aviv University, ROEE FRIEDMAN, ERAN STERER, Physics Department, Nuclear Research Center Negev — Here we report the discovery of superconductivity in multiple phases of the compressed GeSb₂Te₄ (GST) phase change memory alloy, which has attracted considerable attention for the last decade due to its unusual physical properties with many potential applications. Superconductivity is observed through electrical transport measurements, both for the amorphous (a-GST) and for the crystalline (c-GST) phases. The superconducting critical temperature, T_c , continuously increases with the applied pressure reaching a maximum $T_c = 6\text{K}$ at $P=20\text{ GPa}$ for a-GST, whereas the critical temperature of the cubic phase reaches a maximum $T_c = 8\text{ K}$ at 30 GPa . This new material system, exhibiting a superconductor-insulator quantum phase transition (SIT) has an advantage over disordered metals since it has a continuous control of the crystal structure and the electronic properties using pressure as an external stimulus, which was lacking in SIT studies until today.

¹This research was partially funded by PAZI foundation under grant number 268/15. Support from the Israeli Science Foundation under grant numbers 569/13 and 1189/14, and from the Israel Ministry of Science, Technology and Space under contract number 3-1187

Alexander Palevski
Tel Aviv University

Date submitted: 04 Nov 2016

Electronic form version 1.4