

Abstract Submitted  
for the MAR17 Meeting of  
The American Physical Society

**Magnetotransport properties of  $\text{BaMn}_2\text{Pn}_2$  compounds** KHUONG

K. HUYNH, AIMR, Tohoku University, KEITA KITAHARA, TAKUMA OGASAWARA, Department of Physics, Graduate School of Science, Tohoku University, SATOSHI HEGURI, AIMR, Tohoku University, YOICHI TANABE, Department of Physics, Graduate School of Science, Tohoku University, KATSUMI TANIGAKI, AIMR and Department of Physics, Graduate School of Science, Tohoku University — We report interesting magnetotransport properties observed in  $\text{BaMn}_2\text{Pn}_2$  (BMPn, with Pn = As, Sb, Bi) systems. BMPn materials have the same layered crystal structure with that of  $\text{BaFe}_2\text{As}_2$ , one of the parent compounds for iron-based superconductors. The large Hund's coupling in the half-filled  $3d^5$  orbitals promotes a localized high spin state of  $\text{Mn}^{2+}$  ions and results in a G-type antiferromagnetic insulator with a fairly high  $T_N$  [1, 2]. Our experiments show that the resistivities in all BMPn's have complex dependencies on both temperature and magnetic field. Measurements of resistivity under magnetic fields indicate sizable and anisotropic magnetoresistance that vary strongly with temperature. On the other hand, a detailed analysis of the temperature dependencies of the resistivity indicates a transition-like feature at which the behaviors of magnetoresistance and Hall effect completely change. Interestingly, by changing the pnictide site in BMPn from As to Bi, the features of the magnetotransport properties are systematically varied.

1. Singh *et al*, PRB 79, 2, (2009).
2. McNally *et al*, PRB 92, 115142 (2015).

Khuong K. Huynh  
AIMR, Tohoku University

Date submitted: 10 Nov 2016

Electronic form version 1.4