

Abstract Submitted
for the MAR17 Meeting of
The American Physical Society

A New Parametrized Description of Magnetic Josephson Junctions¹ BRENDAN CHAN, California State University: Long Beach, THOMAS BAKER, University of California: Irvine, ANDREAS BILL, California State University: Long Beach — We present a study of diffusive Josephson junctions made of two superconductors connected by a ferromagnetic film. When the link is sufficiently thin Cooper pairs can tunnel from one superconductor to the other, generating a Josephson current. Junctions with inhomogeneous magnetization are of particular interest because they display long range triplet pair correlations. The generation of these correlations in the hybrid structure is studied by solving numerically the Usadel equations. In previous work [1] we have shown for example that the rotation of the magnetization can be used to tune the relative weight of the singlet and triplet pair correlations, thereby tuning the current. Here, we present a novel approach to the numerical treatment of the Usadel equations, using a parametrization that takes automatically into account a required constraint of the model. We show results for the weak magnetization case. We also discuss new challenges posed in the high magnetization regime, where the parameterization is accompanied by the appearance of moving singularities. Various methods are proposed in order to address this technical issue. [1] T.E. Baker, A. Richie-Halford, A. Bill, *New J. Phys.* 16, 093048 (2014); *Europhys. Lett.*, 107, 17001 (2014); *Phys. Rev. B* 94, 104518 (2016).

¹We gratefully acknowledge support from the National Science Foundation (DMR-1309341).

Brendan Chan
Cal State Univ- Long Beach

Date submitted: 12 Nov 2016

Electronic form version 1.4