

Abstract Submitted  
for the DAMOP06 Meeting of  
The American Physical Society

Sorting Category: 1.3 (E)

**Laser trapping of Radium and progress towards an electric dipole moment measurement**<sup>1</sup> J.R. GUEST, N. D. SCIELZO, I. AHMAD, K. BAILEY, J. P. GREENE, R. J. HOLT, Z.-T. LU, T. P. O'CONNOR, D. H. POTTERVELD, Physics Division, Argonne National Laboratory, H. GOULD, Lawrence Berkeley National Laboratory — Permanent electric dipole moments (EDMs) in atoms or molecules are signatures of Time (T)-and Parity (P)-violation and represent an important window onto physics beyond the Standard Model. We are developing a next generation EDM search around laser-cooled and trapped Ra-225. Due to octupole deformation of the nucleus, Ra-225 is predicted to be two to three orders of magnitude more sensitive to T-violating interactions than Hg-199, which currently sets the most stringent limits in the nuclear sector. We will discuss our progress, including the successful laser cooling and trapping of Ra-226 atoms. Using the  $^1S_0$  F=0 –  $^3P_1$  F=1 transition, we have demonstrated transverse cooling, Zeeman slowing, and capture of Ra-226 atoms in a magneto-optical trap (MOT). By repumping the  $^3D_1$  dark state to the  $^1P_1$  state, which decays back to ground  $^1S_0$  state, we have extended the lifetime of the trap from milliseconds to seconds.

<sup>1</sup>This work was supported by the U.S. Department of Energy, Nuclear Physics Division, under contract no. W-31-109-ENG-38.

Prefer Oral Session  
 Prefer Poster Session

Jeffrey Guest  
jrguest@anl.gov  
Physics Division, Argonne National Laboratory

Date submitted: 26 Jan 2006

Electronic form version 1.4