

Abstract Submitted  
for the DAMOP08 Meeting of  
The American Physical Society

Sorting Category: 6.1 (E)

**1-D Mott insulator transition of a Bose-Einstein condensate**<sup>1</sup> RACHEL SAPIRO, RUI ZHANG, GEORG RAITHEL, FOCUS Center and Department of Physics, University of Michigan — We experimentally demonstrate the superfluid to one-dimensional Mott-insulator transition of a <sup>87</sup>Rb Bose-Einstein condensate. In the experiment, we apply a one-dimensional optical lattice, formed by two laser beams with a wavelength of 852 nm, to a three dimensional BEC in a shallow trap. We use Kapitza-Dirac scattering to precisely determine the depth of the optical lattice without knowledge of its exact geometry. It is found that the one-dimensional Mott insulator state is reached at a lattice depth of 30 recoil energies. We further study behavior specific to the one-dimensional case, including interference between pancake BECs in separate wells and dephasing behavior at the transition between the superfluid and Mott insulator states.

<sup>1</sup>Supported by FOCUS and AFOSR

Prefer Oral Session

Prefer Poster Session

FOCUS Center and Department of Physics, University of Michigan

Rachel Sapiro  
resapiro@umich.edu

Date submitted: 31 Jan 2008

Electronic form version 1.4