

Abstract Submitted
for the MAR06 Meeting of
The American Physical Society

Sorting Category: 03.8.1 (C)

Calculated polarizations and piezoelectric constants of wurtzite ZnO, CdO and MgO PRIYA GOPAL, UCSB — The macroscopic polarization in wurtzite crystal structures such as GaN and ZnO has a strong influence on the electrical and optical properties. This property has been exploited in GaN/AlGaN heterostructures, where the difference in the polarizations between layers induces an electric field at the interface forming a high mobility two-dimensional electron gas (2DEG) ¹. . Here we calculate the polarization and the piezoelectric properties of the corresponding wurtzite-structure binary oxides ZnO, MgO and CdO. The knowledge of these properties is essential to explore the possibility of creating similar high mobility polarization induced 2DEGs in the ZnO-based material system. However, since wurtzite-structure MgO and CdO are not experimentally accessible, the values can be obtained computationally. We use the recently developed self-interaction corrected pseudopotential (pseudo-SIC) implementation ² of the density functional theory and the widely used Berry phase method ³ for obtaining the polarization and piezoelectric constants. We find that the polarization gradients between the end-point compounds in the MgO-ZnO-CdO are larger ⁴ than in the GaN analogues.

¹U. K. Mishra, Y. Wu, B.P. Keller, S. Keller and S.P. Denbaars *IEEE Transactions on Microwave theory and Techniques*, **46**, 6 (1998)

²A. Filippetti and N.A. Spaldin *Phys. Rev. B* **67**, 125109 (2003).

³R. D. Kingsmith and D. Vanderbilt *Phys. Rev. B* **49**, 5828 (1994).

⁴P. Gopal and N.A. Spaldin *submitted*

Prefer Oral Session
 Prefer Poster Session

Priya Gopal
priyag@mrl.ucsb.edu
UCSB

Date submitted: 30 Nov 2005

Electronic form version 1.4