

Abstract Submitted
for the MAR08 Meeting of
The American Physical Society

Sorting Category: 03.2 (C)

Simulation of Li ion diffusion near electrolyte-metal interface – Li_3PO_4 and Li¹ YAOJUN DU, XIAO XU, N.A.W. HOLZWARTH, Wake Forest U. — Motivated by recent technological interest in Li_3PO_4 -based electrolytes developed at Oak Ridge National Laboratory² for use in rechargeable solid-state batteries and other technologies, we have used first-principles modeling techniques to study Li ion diffusion near idealized interfaces between Li_3PO_4 and Li metal. Using the nudged elastic band method, migration energy barriers for Li ion diffusion across interfaces in different crystallographic directions are calculated for both vacancy and interstitialcy mechanisms. Preliminary results find interface migration barriers as low as 0.2 eV and 0.26 eV for the vacancy and interstitialcy mechanisms, respectively. This suggests that interface diffusion barriers are likely to be comparable or lower than the corresponding migration barriers within crystalline Li_3PO_4 .³

¹Supported by NSF Grants DMR-0405456 and 0427055.

²J. B. Bates, N. J. Dudney, and co-workers, *Solid State Ionics*, **53-56**, 647-654 (1992).

³Y. A. Du and N. A. W. Holzwarth, *Phys. Rev. B*, **76**, 174302 (2007).

Prefer Oral Session
 Prefer Poster Session

Natalie Holzwarth
natalie@wfu.edu
Wake Forest University

Date submitted: 30 Nov 2007

Electronic form version 1.4