

Abstract Submitted  
for the MAR08 Meeting of  
The American Physical Society

Sorting Category: 06.11.3 (E)

**Electronic structure of  $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$  investigated from doping evolution of its soft x-ray spectra** YINWAN LI, DAVID EDERER, Tulane University, THOMAS CALLCOTT, University of Tennessee, J. W. FREELAND, Argonne National Laboratory — Perovskite cobalt oxide  $\text{LaCoO}_3$  attracted a lot of attention because of its spin state transition around 90K, the interpretation of which is still under debate. We performed soft X-ray absorption and emission experiments on  $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$  at O-K edge and Co-L edge with various doping from  $x = 0$  to  $x = 30$ . The doping evolution of the spectra can be understood as a result of introduction of holes at the top of valence band accompanied with a lowering of the Fermi level. The significant change of oxygen K edge spectra with doping indicates that the top of the valence band is largely of oxygen character, indicating strong Co 3d – O 2p hybridization. The bottom of unoccupied band has a double peak feature indicating a splitting  $e_g$  band. This split is the largest in the undoped sample and becomes smaller with doping. A gap of less than 1eV is observed from the excitation feature in the emission spectra and its change with doping again indicates a lower Fermi level in doped samples.

Prefer Oral Session  
 Prefer Poster Session

Yinwan Li  
yli8@tulane.edu  
Tulane University

Date submitted: 27 Nov 2007

Electronic form version 1.4