

Abstract Submitted  
for the SES05 Meeting of  
The American Physical Society

Sorting Category: 01 (E)

**Magnetic Field Effect on the dielectric properties of the Single Molecule Magnet  $V_{15}$**  RELJA VASIC, National High Magnetic Field laboratory, NARPINDER KAUR, Florida State University, JAMES BROOKS, National High Magnetic Field Laboratory, NARESH DALAL, Florida State University — Single-molecule hysteresis and quantum tunneling of magnetization (QTM) have made single molecule magnets (SMMs) among the most widely studied compounds in the past decade. Best known SMMs are  $Mn_{12}$ -acetate and  $Fe_8Br_8$ . Recently a polyoxovanadate compound  $K_6[V_{15}As_6O_{42}(H_2O)] \cdot 8H_2O$ , henceforth  $V_{15}$ , has been shown to exhibit some of the properties of SMMs despite an  $S=1/2$  ground state, and no evident potential energy barrier to the reorientation of the magnetic moment. In this study we have investigated magnetic field effects on the dielectric properties of  $V_{15}$  using ac impedance technique. In preliminary experiments over the frequency range of 1-100kHz and temperature range of 10-300K,  $V_{15}$  is found to exhibit three independent relaxation mechanisms. On the application of magnetic field, the dielectric relaxation peaks shift towards higher temperatures. The presentation will discuss details of sample preparation, measurement techniques and theoretical interpretation of this newly observed effect.

Prefer Oral Session  
 Prefer Poster Session

Naresh Dalal  
ndalal@chem.fsu.edu  
Florida State University

Date submitted: 09 Aug 2005

Electronic form version 1.4