

Abstract Submitted
for the OSS10 Meeting of
The American Physical Society

Structural and electrochromic properties of $\text{Fe}_2(\text{SO}_4)_3$ nanostructures prepared by template assisted method SAHANA M.B., SUDAKAR CHANDRAN, RATNA NAIK, Wayne State University, Detroit, MI, VAMAN NAIK, University of Michigan-Dearborn — Oxides containing polyanions such as XO_4^{2-} ($X = \text{S}, \text{Mo}, \text{P}$ and W) as lithium insertion hosts are promising cathode materials due to their high thermal stability. However, the larger separation of the transition metal ions can be expected to reduce the electron mobility. As observed in LiFePO_4 , this can be overcome either by coating the cathode materials with carbon or by decreasing the particle size. We have prepared nanowires of NASICON type structure and platelets of monoclinic $\text{Fe}_2(\text{SO}_4)_3$ by template assisted electro deposition. These structures were grown on stainless steel substrates and are characterized by XPS, HRTEM, and XRD analysis. Both NASICON and monoclinic $\text{Fe}_2(\text{SO}_4)_3$ structures are very porous and are comprised of nanoparticles leading to a high lithium insertion capacity.

Sahana M.B.
Wayne State University, Detroit, MI

Date submitted: 05 Apr 2010

Electronic form version 1.4