Abstract Submitted for the SES06 Meeting of The American Physical Society

Accelerate the transition of radioisotopes and unwanted weaponsgrade ²³⁹Pu into stable nuclei with a system of high frequency modulation for a net energy gain EUGENE PAMFILOFF, Dept. of Physics, Univ. of Georgia, UGA, - Optigon R and D, Vivitar, VPDM, CA, retired — A process of high frequency stimulation of nucleons can be utilized for the accelerated fission, decay or controlled transition of unstable isotopes. ²³⁸U could be persuaded to transition promptly into the stable ²⁰⁶Pb isotope, where a portion of the total mass difference of 29873.802 MeV per nucleus becomes available energy. The proposals of this paper describe an effective system for nuclei stimulation configured to accelerate such a series of 14 transitions over several milliseconds, instead of 4.47 x 10⁹ years. Positive ions or ionized capsules of fuel suspended by magnetic fields and subjected to the system of correlated frequency modulation of multiple beam lines, tailored to the specific target, will emit sufficient energy to stimulate subsequent targets. The system can be applied to all radioisotopes, nuclear waste product isotopes such as ²³⁹Pu, and a variety of other suitable unstable or stable nuclei. Through the proposed confinement system and application of high frequency stimulation in the 10^{22} to 10^{24} Hz regime, the change in mass can be applied to both the fragmentation of subsequent, periodically injected targets, and the production of heat, making a continuous supply of energy possible. The system allows the particle fragmentation process to be brought into the lab and provides potential solutions to the safe disposal of fissile material.

> Eugene Pamfiloff Dept. of Physics, Univ. of Georgia, UGA, -Optigon R and D, Vivitar, VPDM, CA, retired

Date submitted: 28 Jun 2006 Electronic form version 1.4