

Abstract Submitted
for the SHOCK13 Meeting of
The American Physical Society

EXAFS study of solid iron up to 560 GPa¹ YUAN PING, F. COP-PARI, D. HICKS, LLNL, B. YAAKOBI, LLE, D. FRATANDUONO, S. HAMEL, J. EGGERT, J. RYGG, R. SMITH, D. SWIFT, LLNL, T. BOEHLI, LLE, G. COLLINS, LLNL — Dynamic compression by multiple shocks is used to compress iron up to 560 GPa (5.6 Mbar), the highest solid-state pressure yet attained for iron in the laboratory. EXAFS (extended x-ray absorption fine structure) spectroscopy offers simultaneous density, temperature and local-structure measurements for compressed iron, providing highest-pressure data up to date for constraining solid state theory and evolution models for many newly discovered extra-solar terrestrial planets. The data show that the close-packed structure of iron is stable up to 560 GPa, the temperature at peak compression is significantly higher than expected from pure compressive work, and the strength of iron many times greater than expected from lower pressure data.

¹This work was performed under the auspices of the U.S. Department of Energy by Lawrence Livermore National Security, LLC, Lawrence Livermore National Laboratory under Contract DE-AC52-07NA27344.

Yuan Ping
LLNL

Date submitted: 27 Feb 2013

Electronic form version 1.4