

Abstract Submitted  
for the APR18 Meeting of  
The American Physical Society

**Measuring the cross section of antineutrino-induced charge current quasi-elastic neutral hyperons in ArgoNeuT**<sup>1</sup> SAMUEL BORER, Univ of Maine — This poster will cover work done on the first topological and calorimetric study of the cross section measurement of antineutrino-induced charge current quasi-elastic (CCQE) neutral hyperons in liquid argon. This study is being conducted in the Argon Neutrino Test (ArgoNeuT) experiment at Fermi National Accelerator Laboratory. ArgoNeuT is a liquid argon time projection chamber (LArTPC), which provides full 3D-imaging, excellent particle identification capability, precise calorimetric energy reconstruction, and represents the most advanced experimental technology for neutrino physics. This project uses  $1.2 \times 10^{20}$  protons-on-target, in the NuMI beam operating in the low energy antineutrino mode. The reconstruction and analysis techniques developed and improved in this study can be applied to a wide variety of future LArTPC experiments. CCQE Neutral Hyperons are induced exclusively by antineutrinos and can be used as an “antineutrino tagger” for larger experiments. This poster will present analysis techniques and preliminary findings for the CCQE neutral hyperon cross section in liquid argon.

<sup>1</sup>University of Maine Center for Undergraduate Research

Samuel Borer  
Univ of Maine

Date submitted: 29 Nov 2017

Electronic form version 1.4