

Abstract Submitted
for the APR18 Meeting of
The American Physical Society

Quasi-radial instability of differentially rotating relativistic stars

GABRIELE BOZZOLA, University of Arizona, NIKOLAOS STERGIOULAS, Aristotle University of Thessaloniki, ROBERTO DE PIETRI, University of Parma, INFN — The stability against gravitational collapse of the remnant left by a merger of binary neutron stars is of great interest in gravitational-wave astronomy. This property can be explored with simulations in full general relativity, which are often computational extremely demanding. A well-established result in this landscape is that the rotation of the remnant is a crucial factor in determining its stability. In the case of uniform rotation, the turning-point method provides a shortcut to study physical properties regarding the stability of neutron stars in a more affordable way. This method is based on the study of the turning points, particular equilibrium models that satisfy a specific condition that can be found without performing full simulations. Here, we applied the turning-point method to differentially rotating neutron stars, obtaining an estimation of the location of the instability region in the parameter space, for different equations of state and rotation laws. To validate this approach we performed three-dimensional simulations of select models to find the onset of dynamical instability. Finally, we report on universal relations among some of the physical properties of interest along the sequence of turning-point models.

Gabriele Bozzola
University of Arizona

Date submitted: 17 Jan 2018

Electronic form version 1.4