

Abstract Submitted
for the DAMOP10 Meeting of
The American Physical Society

Strong field Multiphoton processes in the high-frequency limit

GILLES DOUMY, CHRISTOPH ROEDIG, ANTHONY DICHIARA, COSMIN BLAGA, LOUIS DIMAURO, PIERRE AGOSTINI, The Ohio State University, MATTHIAS HOENER, LI FANG, NORRAH BERRAH, Western Michigan University, LINDA YOUNG, ELLIOT KANTER, BERTOLD KRAESSIG, STEPHEN SOUTHWORTH, ROBIN SANTRA, STEPHEN PRATT, Argonne National Laboratory, RYAN COFFEE, PHIL BUCKSBAUM, JAMES CRYAN, JAMES GLOWNIA, SHAMBHU GHIMIRE, DAVID REIS, SLAC - PULSE, MATTHIAS KUEBEL, GERHARD PAULUS, Iena University, JOHN BOZEK, CHRISTOPH BOSTEDT, SLAC - LCLS — Last fall, the Linac Coherent Light Source at SLAC National Accelerator Laboratory has delivered users the world first X-ray free electron laser, allowing studying X-ray matter interaction at unprecedented photon flux. We will present the first attempts at observing multiphoton ionization in the X-ray regime, which have been realized by measuring both electron and ion spectra from the ionization of rare gases in the AMO end station. In addition to gaining insight into this new regime, our experiments also participated towards the characterization of this new light source (intensity, harmonic content...).

Gilles Doumy
The Ohio State University

Date submitted: 26 Feb 2010

Electronic form version 1.4