

Abstract Submitted
for the DAMOP16 Meeting of
The American Physical Society

Site-resolved imaging of a fermionic Mott insulator CHRISTIE CHIU, DANIEL GREIF, MAXWELL F. PARSONS, ANTON MAZURENKO, SEBASTIAN BLATT¹, FLORIAN HUBER², GEOFFREY JI, MARKUS GREINER, Harvard University — Quantum gas microscopy of ultracold fermionic atoms in an optical lattice opens new perspectives for addressing long-standing open questions on strongly correlated low-temperature phases in the Hubbard model. Here we report on site-resolved imaging of two-component fermionic Mott insulators, metals, and band insulators with Lithium-6. For strong repulsive interactions we observe Mott insulators with more than 400 atoms and for intermediate interactions we observe a coexistence of phases. From comparison to theory, we find trap-averaged entropies per particle of $1.0 k_B$ in the Mott insulator and local entropies in the band insulator as low as $0.5 k_B$. Our measurements serve as a benchmark for the performance of our experiment and are a starting point for accessing the low-temperature regime of magnetic ordering.

¹Current address: Max-Planck-Institut für Quantenoptik, 85748 Garching, Germany

²Current address: IPG Photonics Corporation, Oxford, MA 01540

Christie Chiu
Harvard University

Date submitted: 29 Jan 2016

Electronic form version 1.4