

Abstract Submitted
for the DAMOP16 Meeting of
The American Physical Society

Development of a BEC interferometer using Painted Potentials¹

E. CARLO SAMSON², CHANGHYUN RYU, MALCOLM BOSHIER, Physics Division, Los Alamos National Laboratory — Due to their compact nature, BEC interferometers make it possible to develop portable precision measurement devices. We are developing a BEC interferometer using the painted potential ³, a technique that allows for the creation and manipulation of BECs in arbitrary and dynamic 2D trapping potentials. This technique makes it possible to create BECs in a U-shaped trap, which is equivalent to two potential wells coupled by a channel. A slow removal of the link allows us to reduce excitations in the BECs typical of splitting processes, while maintaining their phase coherence. We report our measurements of the coherence time after the splitting, and show the growth of the relative phase difference between the two BECs that limits our coherence time. To perform linear acceleration measurements and rotation sensing, it is essential to move the BECs relative to each other. We will present schemes we are developing to transport the two trapped BECs within the coherence time with minimal excitations.

¹Supported by LANL/LDRD

²Also affiliated with Center for Nonlinear Studies - LANL

³K. Henderson et al., *New J. Phys.* **11**, 043030 (2009)

E. Carlo Samson
Los Alamos National Laboratory

Date submitted: 29 Jan 2016

Electronic form version 1.4