

Abstract Submitted
for the DFD11 Meeting of
The American Physical Society

Fast Evaporation of Spreading Droplets of Colloidal Suspensions

KARA MAKI, Rochester Institute of Technology, SATISH KUMAR, University of Minnesota — When a coffee droplet dries on a countertop, a dark ring of coffee solute is left behind, a phenomenon often referred to as “the coffee-ring effect.” A closely related yet less-well-explored phenomenon is the formation of a layer of particles, or skin, at the surface of the droplet. In this work, we explore the behavior of a mathematical model that can qualitatively describe both phenomena. We consider a thin axisymmetric droplet of a colloidal suspension on a horizontal substrate undergoing spreading and rapid evaporation. The lubrication approximation is applied to simplify the mass and momentum conservation equations, and the colloidal particles are allowed to influence droplet rheology through their effect on the viscosity. By describing the transport of the colloidal particles with the full convection-diffusion equation, we are able to capture depthwise gradients in particle concentration and thus describe skin formation, a feature neglected in prior models of droplet evaporation. Whereas capillarity creates a flow that drives particles to the contact line to produce a coffee-ring, Marangoni flows can compete with this and promote skin formation. Increases in viscosity due to particle concentration slow down droplet dynamics, and can lead to a significant reduction in the spreading rate.

Kara Maki
Rochester Institute of Technology

Date submitted: 11 Aug 2011

Electronic form version 1.4