

Abstract Submitted  
for the DFD14 Meeting of  
The American Physical Society

**Measurements of small radius ratio turbulent Taylor-Couette flow**

ROELAND VAN DER VEEN, SANDER HUISMAN, University of Twente, SEBASTIAN MERBOLD, Brandenburg University of Technology, CHAO SUN, University of Twente, UWE HARLANDER, CHRISTOPH EGBERS, Brandenburg University of Technology, DETLEF LOHSE, University of Twente — In Taylor-Couette flows, the radius ratio ( $\eta = r_i/r_o$ ) is one of the key parameters of the system. For small  $\eta$ , the asymmetry of the inner and outer boundary layer becomes more important, affecting the general flow structure and boundary layer characteristics. Using high-resolution particle image velocimetry we measure flow profiles, local transport, and statistical properties of the flow for a radius ratio of 0.5 and a Reynolds number of up to  $4 \cdot 10^4$ . By measuring flow profiles at varying heights, roll structures are characterized for two different rotation ratios of the inner and outer cylinder. In addition, we systematically vary the rotation ratio and the Reynolds number. These results exemplify how curvature affects flow in strongly turbulent Taylor-Couette Flow.

Roeland van der Veen  
University of Twente

Date submitted: 01 Aug 2014

Electronic form version 1.4