

Abstract Submitted
for the DFD17 Meeting of
The American Physical Society

Direct simulation of fluid-structure interaction with Blue¹

RICHARD V. CRASTER, Imperial College London, SEUNGWON SHIN, Hongik University, JALEL CHERGUI, DAMIR JURIC, LIMSI, CNRS, LYES KA-HOUADJI, OMAR K. MATAR, Imperial College London — The interaction of multiphase flows with complex solid geometries is directly simulated in *Blue* using a direct forcing technique (Fadlun, Verzicco, Orlandi & Mohd-Yusof, JCP 161 (2000) 35-60) in the broader context of the immersed boundary method. This capability has recently been introduced in *Blue* which is a solver for massively-parallel simulations of fully three-dimensional multiphase flows. Arbitrary solid shapes can be constructed or introduced in CAD format. These solid objects can then be treated as either static, in forced translational and/or rotational motion or in fully free motion with full two-way coupling to the fluid phases. We study the benchmark case of a simple solid sphere plunging into a liquid pool. In addition we present examples of more complex moving solid objects and their interaction with liquid-gas free-surfaces.

¹EPSRC, UK, MEMPHIS program grant (EP/K003976/1), RAEng Research Chair (OKM), Basic Science Research Program through the National Research Foundation of Korea (NRF-2014R1A2A1A11051346), computing time at IDRIS of the CNRS in France.

Omar Matar
Imperial College London

Date submitted: 26 Jul 2017

Electronic form version 1.4