

Abstract Submitted
for the DFD20 Meeting of
The American Physical Society

The Fluid Physics Modeling Challenges of Wind Plants¹

RICHARD STEVENS, University of Twente — The performance of large wind farms depends on the development of turbulent wind turbine wakes and the interaction between these wakes. Turbulence also plays a crucial role in transporting kinetic energy from the large-scale geostrophic winds in the atmospheric boundary layer towards heights where wind farms can harvest this energy. High-resolution large eddy simulations (LES) are ideally suited to understand these flow phenomena. Much has been learned from wind farm simulations, which initially focused on 'idealized' situations. Nowadays, the community increasingly focuses on modeling more complex situations, such as the effect of complex terrain and different atmospheric stability conditions. As wind farms become larger, the need to improve their design and develop control strategies to mitigate wake effects increases. However, due to the large separation of length scales and the number of cases, it is unfeasible to use LES for wind farm design. Therefore, LES are used to further develop computationally more tractable modeling approaches ranging from Reynolds Average Navier Stokes (RANS) models to analytical modeling approaches. With the increasing size of wind turbines and wind farms, an emerging challenge will be to also account for mesoscale flow phenomena.

¹Shell-NWO/FOM-initiative Computational sciences for energy research of Shell and Chemical Sciences, Earth and Live Sciences, Physical Sciences, FOM, and STW, and an STW VIDI grant (No. 14868).

Richard Stevens
University of Twente

Date submitted: 03 Aug 2020

Electronic form version 1.4