

Abstract Submitted
for the DNP13 Meeting of
The American Physical Society

Relative Yields of $^{149-153}\text{Pr}$ in Spontaneous Fission of ^{252}Cf

JONATHAN ELDRIDGE, Union University, Vanderbilt University, ENHONG WANG, J.K. HWANG, JOE HAMILTON, A.V. RAMAYYA, Y.X. LUO, Vanderbilt University, J.O. RASMUSSEN, LBNL, S.J. ZHU, Tsinghua University, S.H. LIU, ORAU, G.M. TER-AKOPIAN, YU. TS. OGANESSIAN, JINR — The relative yields of the fission partners of $^{149-153}\text{Pr}$, resulting from the spontaneous fission of ^{252}Cf , were studied. This study was done by means of $\gamma-\gamma-\gamma$, and $\gamma-\gamma-\gamma-\gamma$ coincidence data taken in 2000 by the multi-HPGe, Compton-suppressed, gamma detector array, Gammasphere, at Lawrence Berkeley National Lab. The coincidence data were analyzed by double- and triple-gating on transitions in $^{149-153}\text{Pr}$ and obtaining the intensities of the $^{93-101}\text{Y}$ transitions. For $^{150,151,152,153}\text{Pr}$ the 3n channel was found to be the strongest. The ^{149}Pr , however, was found to peak at the 4n channel. These results were used to verify the assignments of the level schemes of $^{151,152,153}\text{Pr}$ [1-3]. The data are found to be in agreement with Wahl's independent yield tables [4].

- [1] E. Wang et al., Bull.Am.Phy.Soc.DNP Oct. 2013
- [2] J. H. Hamilton et al., Bull.Am.Phy.Soc.DNP Oct. 2013
- [3] E. Wang et al., BAPS, SESAPS, 11/13.
- [4] A. C. Wahl, Atomic Data and Nuclear Data Tables, Vol. 39, No. 1, May 1988, Table XVI.

Jonathan Eldridge
Union University, Vanderbilt University

Date submitted: 31 Jul 2013

Electronic form version 1.4