

Abstract Submitted
for the DNP20 Meeting of
The American Physical Society

Study of core-collapse supernovae : new experimental constrains on the nuclear physics inputs SIMON GIRAUD, NSCL-FRIB — The uncertainties on the microphysical ingredients of the core-collapse supernova (CCSN) simulations, e.g. the nuclear masses and the electron capture rates, may conduct to differences in the compositions of the core and in the collapse dynamics. In order to reduce these uncertainties, new high precision mass measurements were performed, via a double Penning trap at the IGISOL facility (Jyväskylä, Finland) : ^{67}Fe , $^{69gs,69m,70}\text{Co}$, $^{74,75}\text{Ni}$ and $^{76,76m,77,78}\text{Cu}$ and ^{79m}Zn . The experimental values of the nuclear gaps for $Z=28$ and $N=50$ have been compared with the results predicted by DZ10 and HFB-24 mass models. A moderated impact of the mass model on the composition of the collapsing core was found, while the dynamics of collapse is more sensitive to the electron-capture model. The latter can be better constrained by means of nuclear charge exchange experiments. An upcoming $^{14}\text{O}(d,^2\text{He})^{14}\text{N}$ charge exchange experiment using the Active Target Time Projection Chamber at NSCL should demonstrate a very promising way of constraining the electron capture rates. During this talk I will discuss the effect of the nuclear masses and the electron capture rates in a CCSN simulation as well as their recent experimental constraints.

Simon Giraud
NSCL-FRIB

Date submitted: 26 Jun 2020

Electronic form version 1.4