

Abstract Submitted
for the DPP10 Meeting of
The American Physical Society

Design and Use of an Elsässer Probe for Projection of Alfvén Wave Fields According to Wave Direction D.J. DRAKE, C.A. KLETZING, F. SKIFF, University of Iowa — Measurement of plasma transport using probes usually requires simultaneous measurement of multiple quantities from which transport can be inferred. Particle and energy transport have received the most attention. We have designed and built a new probe to simultaneously measure fluctuating E and B fields in order to evaluate wave Poynting flux for application to Alfvén wave experiments in the Large Plasma Device (LAPD) at UCLA. This new probe allows projection of measured wave fields onto Elsässer variables $Z^\pm \equiv (E \times B_0)/|B_0|^2 \pm B/(4\rho_0\pi)^{0.5}$ where the time averaged background field B_0 and plasma mass density ρ_0 are measured separately. Experiments were conducted in a singly ionized He-H plasma in the LAPD and these measurements are presented. The results were compared with existing measurement techniques for this type of plasma in the LAPD [1]. Findings will be discussed at the conference.

[1] C. A. Kletzing, D. J. Thuecks, F. Skiff, S. R. Bounds, and S. Vincena, Phys. Rev. Lett. **104**, 095001 (2010).

Dereth Drake
University of Iowa

Date submitted: 30 Jun 2010

Electronic form version 1.4