

DPP13-2013-020130

Abstract for an Invited Paper  
for the DPP13 Meeting of  
the American Physical Society

### **Multi-level Monte Carlo Methods for Efficient Simulation of Coulomb Collisions<sup>1</sup>**

LEE RICKETSON, UCLA

We discuss the use of multi-level Monte Carlo (MLMC) schemes - originally introduced by Giles for financial applications - for the efficient simulation of Coulomb collisions in the Fokker-Planck limit. The scheme is based on a Langevin treatment of collisions, and reduces the computational cost of achieving a RMS error scaling as  $\varepsilon$  from  $O(\varepsilon^{-3})$  - for standard Langevin methods and binary collision algorithms - to the theoretically optimal scaling  $O(\varepsilon^{-2})$  for the Milstein discretization, and to  $O(\varepsilon^{-2}(\log \varepsilon)^2)$  with the simpler Euler-Maruyama discretization. In practice, this speeds up simulation by factors up to 100. We summarize standard MLMC schemes, describe some tricks for achieving the optimal scaling, present results from a test problem, and discuss the method's range of applicability.

<sup>1</sup>This work was performed under the auspices of the U.S. DOE by the University of California, Los Angeles, under grant DE-FG02-05ER25710, and by LLNL under contract DE-AC52-07NA27344.