

Abstract Submitted
for the MAR06 Meeting of
The American Physical Society

Magnetism in the diluted induced moment system (La,Pr)₆Ni₂Si₃¹ R. W. MCCALLUM, Y. JANSSEN, K. W. DENNIS, P. C. CANFIELD, Ames Laboratory, Iowa State University, Ames IA 50011 — Pr₆Ni₂Si₃ crystallizes in a complex hexagonal structure with two distinct Pr sites with no point symmetry, thus the 2J+1=9 ground state levels are CEF-split into singlets. Single-crystal magnetization and specific heat measurements suggest that this splitting is large compared to the ordering temperature. As CEF-induced singlets are nonmagnetic, any ordered magnetic moment is induced by magnetic interactions. Pr₆Ni₂Si₃ orders with a ferromagnetic component parallel to the c-axis at ~40K, whereas La₆Ni₂Si₃ appears to be nonmagnetic. Upon substitution of Pr by La the ordering temperature decreases more rapidly than predicted by a rule of mixtures. For substitutions of more than 50% La, no ordering is observed above 5 K. For 50% La, both AC and DC magnetization measurements suggest superparamagnetic or spin glass type behavior. This behavior will be discussed in terms of clusters of Pr ions with size-dependent moment and anisotropy.

¹Ames Laboratory is operated for the US Department of Energy by Iowa State University under contract number W-7405-ENG-82.

Ralph McCallum
Ames Laboratory

Date submitted: 29 Nov 2005

Electronic form version 1.4