

Abstract Submitted  
for the MAR07 Meeting of  
The American Physical Society

**Magnetic Excitations in the Spin-1 Anisotropic Heisenberg Antiferromagnetic Chain System  $\text{NiCl}_2\text{-4SC}(\text{NH}_2)_2$** <sup>1</sup> SERGEI ZVYAGIN, Dresden High Magnetic Field Laboratory (HLD-FZD) — Electron spin resonance studies of magnetic excitations in  $\text{NiCl}_2\text{-4SC}(\text{NH}_2)_2$  (DTN, a quantum  $S = 1$  chain system with strong easy-plane anisotropy and a new candidate for the Bose-Einstein condensation of the spin degrees of freedom) in fields up to 25 T are presented. Based on analysis of the frequency-field dependence of single-magnon mode in the high-field spin-polarized phase and previous experimental results [Phys. Rev. Lett. 96, 07724 (2006)], a revised set of spin-Hamiltonian parameters is obtained. Our results yield  $D = 8.9$  K,  $J_c = 2.2$  K, and  $J_{a,b} = 0.18$  K for the anisotropy, intra- and inter-chain exchange interactions, respectively. These values are used to calculate the AFM-phase boundary, low-temperature magnetization and the frequency-field dependence of two-magnon bound-state excitations predicted by theory and observed in DTN for the first time. Excellent quantitative agreement with experimental data is obtained.

<sup>1</sup>In collaboration with C. D. Batista, M. Tsukamoto, N. Kawashima, J. Krzystek, V. S. Zapf, M. Jaime, J. Wosnitza, N. F. Oliveira, Jr., A. Paduan-Filho

Sergei Zvyagin  
Dresden High Magnetic Field Laboratory (HLD-FZD)

Date submitted: 10 Nov 2006

Electronic form version 1.4