

Abstract Submitted  
for the MAR07 Meeting of  
The American Physical Society

**Development of a Constitutive Model for Shape-Memory Polymers Containing Reversible H-Bonding Associating Groups** JIAHUI LI, Department of Chemical Engineering, University of Rochester, JAMES VIVEROS, Department of Chemical Engineering, University of Rochester, MITCHELL ANTHAMATTEN, Department of Chemical Engineering, University of Rochester — A constitutive model was developed to interpret the shape-memory behavior of elastomers containing reversible H-bonding side-groups. The elastomers studied were copolymerized with butyl acrylate, ureidopyrimidinone (UPy) containing monomer, and crosslinkable monomers. These novel shape-memory elastomers exhibit good shape recovery properties, and more interestingly, their shape recovery rate is tunable due to the dynamics of H-bonding dissociation. Creep experiments at different temperatures were acquired using a thermal-mechanical analysis instrument. By fitting the data using the constitutive model, typical Arrhenius-like temperature dependence was found for the viscosity component of the model. In addition, activation energies were obtained, and correlations between fit activation energies and the activation energy of UPy H-bonding dissociation were discussed.

Jiahui Li  
Department of Chemical Engineering, University of Rochester

Date submitted: 17 Nov 2006

Electronic form version 1.4