

Abstract Submitted  
for the MAR07 Meeting of  
The American Physical Society

**Influence of disorder on the vortex pinning and cutting of YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> films** B. MAIOROV, L. CIVALE, Q.X. JIA, H. ZHOU, S.R. FOLTYN, T.G. HOLESINGER, Superconductivity Technology Center, LANL, Los Alamos, NM , S. BAILY, Superconductivity Technology Center and National High Magnetic Field Laboratory, LANL, Los Alamos, NM , H. WANG, Texas A & M University, College Station, TX, J.L. MACMANUS-DRISCOLL, Dept. of Materials Science, University of Cambridge, UK, T.N. HAUGAN, P.N. BARNES, Air Force Research Laboratory, Wright-Patterson Air Force Base, OH — Flux cutting and recombination has been used to explain high critical current densities ( $J_c$ ) observed in experiments done in Force-Free (FF) and Variable Lorentz Force(VLF) configurations *i.e.*, when the current  $I$  is totally or partially aligned to the applied magnetic field  $H$ . However, the effect of different pinning centers has not been studied. We present angular and field  $J_c$  studies in FF and VLF configurations and study the effects of random, correlated and extended defects on the  $J_c$  of YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> films. Results are analyzed in terms of vortex pinning at different defects and vortex cutting mechanism. We show that pinning greatly influences  $J_c$  in FF and VLF, up to the point of obtaining  $J_c$  higher than  $J_c(H = 0)$  up to magnetic fields as high as 3T

B. Maiorov  
Superconductivity Technology Center, LANL, Los Alamos, NM

Date submitted: 05 Jan 2007

Electronic form version 1.4