

Abstract Submitted
for the MAR07 Meeting of
The American Physical Society

Nanoscale Order in Marginal and Bulk Amorphous Metal Alloys¹ PAUL VOYLES, WILLIAM STRATTON, JINWOO HWANG, JOSEPH HAMANN, HONGBO CAO, JOHN PEREPEZKO, Y. AUSTIN CHANG, Materials Science and Engineering, University of Wisconsin, Madison — Using fluctuation electron microscopy (FEM), we have shown that both an Al-based marginal amorphous Al alloy, Al₈₈Y₇Fe₅, and a Zr-based bulk amorphous alloy, Zr₅₄Cu₃₈Al₈, have significant nanoscale structural order at a length scale of ~ 1.5 nm. In both cases, that order can be reduced by annealing below T_g . In the Al alloy, this order is associated with proto-crystalline clusters formed in the liquid or during the rapid quench. The size and/or density of these clusters can also be modified by small additions of Cu and Ti. The nature of the structure in the Zr alloy has not been determined, but our results show that structural relaxation on aging, which in bulk metallic glasses is commonly understood in terms of redistribution of free volume in the form of atom-size voids, involves rearrangements of groups of ~ 10 -100 atoms.

¹This work is support by NSF DMR-0347746 and CMS-0528073.

Paul Voyles
Materials Science and Engineering, University of Wisconsin, Madison

Date submitted: 20 Nov 2006

Electronic form version 1.4