

Abstract Submitted  
for the MAR07 Meeting of  
The American Physical Society

**Phase diagrams of titanium and titanium oxide at high pressure**

YAHYA AL-KHATATBEH, KANANI LEE, BORIS KIEFER, New Mexico State University — The nature of bonding in titanium (Ti) and, in particular, titanium oxide (TiO<sub>2</sub>) are of significant interest since TiO<sub>2</sub> forms a superhard material. Using density-functional theory-based ab-initio computations, we have investigated the structural phase transitions of both Ti and TiO<sub>2</sub> at high pressure. For titanium, the hexagonal close-packed (hcp), hexagonal ( $\omega$ ), distorted hcp ( $\gamma$ ), distorted bcc ( $\delta$ ), body-centered cubic (bcc), faced-centered cubic (fcc) and simple cubic (sc) structures were studied up to a pressure of  $\sim 200$  GPa. The structural phase transition sequence is as follows: hcp  $\rightarrow$   $g\omega$   $\rightarrow$   $g\gamma$   $\rightarrow$   $g\delta$   $\rightarrow$  bcc, in good agreement with both experimental and theoretical results. Furthermore, we test the stability of bcc to other cubic and close-packed phases (fcc, sc, and hcp) and find that bcc is the most stable structure of Ti under pressures between 156 and  $\sim 200$  GPa. For titanium oxide, rutile, anatase, columbite, baddeleyite, fluorite, pyrite, brookite, and cotunnite structures were also studied under high compression. For both Ti and TiO<sub>2</sub>, our transition pressures compare well with previous studies.

Yahya Al-Khatatbeh  
New Mexico State University

Date submitted: 27 Dec 2006

Electronic form version 1.4