

Abstract Submitted
for the MAR08 Meeting of
The American Physical Society

Electrical transport and thermodynamic properties of SrNbO_{3.41}¹

ARIANA DE CAMPOS, Montana State University, ANN DEML, University of Wisconsin-River Falls, B.D. WHITE, Montana State University, C.A.M. DOS SANTOS, Escola de Engenharia de Lorena-USP, M.S. DA LUZ, J.J. NEUMEIER, Montana State University — In 1991, Lichtenberg et al.¹ reported the electric conductivity of SrNbO_{3.41} revealing quasi-1D behavior. This system offers many possibilities to vary the compositional, structural, chemical, and physical properties.¹ Depending upon the temperature range and crystallographic direction, it exhibits metallic behavior or a metal-semiconductor transition. In this work, the properties of SrNbO_{3.41} single crystals are revisited. The single crystals were grown by the floating zone method and characterized by x-ray diffraction. Electrical resistivity as a function of temperature was measured with four-probe and Montgomery methods. We will also report results of heat capacity and thermal expansion measurements.
¹F. Lichtenberg et al., Z. Phys. B **84**, 369 (1991); F. Lichtenberg et. al., Prog. Solid State Chem. **29**, 1-70 (2001).

¹This material is based upon work supported by the Brazilian Agency CNPq (Grant No. 201439/2007-7), the NSF (Grant No. DMR-0504769) and U.S. DOE Office of Basic Energy Sciences (Grant No. DE-FG-06ER46269).

John J. Neumeier
Montana State University

Date submitted: 21 Nov 2007

Electronic form version 1.4