

Abstract Submitted
for the MAR08 Meeting of
The American Physical Society

Synthesis and magnetic properties of $\text{Zn}_{1-x}\text{Mn}_x\text{O}/\text{ZnO}$ coaxial nanocabl. D. WANG, S. PARK, Y. LEE, T. EOM, Y. LEE, q-Psi and BK21 Program Division of Adanced Research and Education in Physics, Hanyang University, Seoul, Korea — $\text{Zn}_{1-x}\text{Mn}_x\text{O}/\text{ZnO}$ ($x=0.04$ and 0.20) coaxial nanocables were prepared by using an ultrahigh-vacuum radio-frequency magnetron sputtering system. The samples were characterized by scanning electron microscopy (SEM), x-ray diffraction (XRD), Rutherford backscattering and high-resolution transmission electron microscopy (HR-TEM), and with a superconducting quantum interference device magnetometer. The SEM images show that the morphology and the alignment of ZnO nanocables are maintained after the deposition of $\text{Zn}_{1-x}\text{Mn}_x\text{O}$ layer, and the thickness of $\text{Zn}_{1-x}\text{Mn}_x\text{O}$ layer is about 20 nm. The XRD analysis reveals that Mn is incorporated well into the wurtzite ZnO without forming Mn oxide. The HR-TEM image shows that both ZnO core layer and $\text{Zn}_{1-x}\text{Mn}_x\text{O}$ shell layer are single crystalline and an excellent epitaxial growth has been achieved. The magnetic property measurement indicates that the $\text{Zn}_{0.96}\text{Mn}_{0.04}\text{O}/\text{ZnO}$ coaxial nanocable is in the ferromagnetic state at 300 K as well as at 10 K, while $\text{Zn}_{0.80}\text{Mn}_{0.20}\text{O}/\text{ZnO}$ is nonferromagnetic even at 10 K and the bare ZnO nanorod is diamagnetic. The aging effect of the magnetism for $\text{Zn}_{0.96}\text{Mn}_{0.04}\text{O}/\text{ZnO}$ coaxial nanocable was also investigated, and it was found that the aged sample showed a mixed magnetic phase of ferromagnetism and paramagnetism.

Y. Lee
q-Psi and BK21 Program Division of Adanced Research and
Education in Physics, Hanyang University, Seoul, Korea

Date submitted: 02 Dec 2007

Electronic form version 1.4