

Abstract Submitted
for the MAR08 Meeting of
The American Physical Society

A surface-driven route to novel magnetic structures: Manganese on Si(100)(2x1)¹ PETRA REINKE, HUI LIU, CHRISTOPHER NOLPH, University of Virginia — The combination of Silicon with an element with a large magnetic moment such as Manganese is highly desirable for the development of novel spintronics devices. We present a study on the surface-driven synthesis of Mn-nanostructures on the Si(100) (2x1) surface using STM and photoelectron spectroscopy. The Si-surface functions as a template and monoatomic Mn-nanowires are formed, which always run perpendicular to the Si-dimer rows. Their length and spatial distribution is used to derive a model for the wire formation. The bonding of Mn to the Si, which is decisive for the resultant magnetic properties, are presented. The transition to a silicide is kinetically hindered and controlled by the Si-mobility. In the next step a Ge-overlayer is deposited, and analyzed with voltage dependent STM. In the low-atom-mobility regime the Ge-growth is unperturbed by the presence of Mn, and the Mn-nanostructure is preserved and embedded.

¹The authors gratefully acknowledge the support of this work by the Nanoelectronics Research Initiative (NRI) in conjunction with NSF

Petra Reinke
University of Virginia

Date submitted: 27 Nov 2007

Electronic form version 1.4