

Abstract Submitted  
for the MAR09 Meeting of  
The American Physical Society

**Thermal conductivity of vertically-aligned single-walled carbon nanotube film measured by  $3\omega$  method**<sup>1</sup> KEI ISHIKAWA, The University of Tokyo, SABURO TANAKA, KOJI MIYAZAKI, Kyushu Institute of Technology, JUNICHIRO SHIOMI, SHIGEO MARUYAMA, The University of Tokyo — Single-walled carbon nanotubes (SWNTs) have been expected to have extremely high thermal conductivity. However, the previously reported modeling and experimental works using individual SWNTs are too idealistic for the vertically-aligned single-walled carbon nanotube (VA-SWNT) film, in terms of defects, bundling effects, etc. In this work, we measured thermal conductivity of high purity VA-SWNT film synthesized by alcohol catalytic chemical vapor deposition (ACCVD) method [1]. We utilize thin film  $3\omega$  method for measuring thermal properties by depositing metal directly onto the VA-SWNT film. In the course of probing the intrinsic thermal conductivity, we discuss the effect of thermal boundary resistances at the nanotube-metal and nanotube-substrate boundaries. [1] Y. Murakami et al., Chem. Phys. Lett., 385 (2004), 298.

<sup>1</sup>The present work was supported in part through the Global COE Program, “Global Center of Excellence for Mechanical Systems Innovation,” by the Ministry of Education, Culture, Sports, Science and Technology.

Kei Ishikawa  
The University of Tokyo

Date submitted: 07 Dec 2008

Electronic form version 1.4