

Abstract Submitted
for the MAR09 Meeting of
The American Physical Society

Design of Thermoplastic Elastomers with Self-Consistent Mean Field Theory: Radial $(ABA)_n$ and $A(BA)_n$ Miktoarm Architectures
NATHANIEL LYND, FOLUSHO OYEROKUN, DONAL O'DONOGHUE, Department of Chemical Engineering and the Materials Research Laboratory, University of California, Santa Barbara, DALE HANDLIN, GLENN FREDRICKSON, Department of Chemical Engineering and the Materials Research Laboratory, University of California, Santa Barbara — Two thermoplastic elastomer designs were evaluated using self-consistent mean field theory. The phase diagram of a radial $(A_1BA_2)_n$ block copolymer was calculated at $\chi N = 40$ per arm as a function of composition (f_A) and asymmetry between the A end-blocks ($\tau = N_{A1}/(N_{A1} + N_{A2})$). Significant deflection of the phase boundaries towards larger f_A occurred for asymmetric triblock copolymers ($\tau \approx 0.15$ and $\tau \approx 0.90$) due to the interplay between bidispersity and chain-pullout of the A-blocks. The phase diagram of an $A_1(BA_2)_n$ miktoarm star triblock copolymer was also investigated as a function of f_A and τ at $\chi N = 40$ per A_1BA_2 unit. Similar deflections in phase boundaries towards higher f_A resulted.

Nathaniel Lynd
Dept of Chemical Engineering and the Materials Research Laboratory,
University of California, Santa Barbara

Date submitted: 11 Dec 2008

Electronic form version 1.4