

Abstract Submitted
for the MAR09 Meeting of
The American Physical Society

**Effect of Ti Dopant on Surface Diffusion of Isolated Alane Species:
A Comparison between Al (111) and Al (100) surfaces¹** ALTAF KARIM,
JAMES MUCKERMAN, Brookhaven National Lab — Our density functional
theory-based kinetic Monte Carlo simulations show that an embedded Ti atom
creates a well in the potential energy surfaces of Al(111) and Al(100) as probed
by hydrogen and other isolated alane species. Hydrogen adatoms become trapped
around Ti atoms on an Al(111) surface, whereas Al adatoms do not exhibit any
significant effect of the potential energy well created by the Ti atoms. In contrast to
the case of Al(111), Al adatoms on an Al(100) surface also become trapped around
the Ti atoms for a longer period of time compared to the hydrogen adatoms on
this surface. Therefore, Ti sites on Al(100) become poisoned by the presence of
Al adatoms around them for long periods of time, thereby blocking further disso-
ciative adsorption of hydrogen. The overall diffusion of Al adatoms on an Al(100)
surface is significantly lower compared to the Al(111) surface. This fact suggests
that the Ti-doped Al(111) surface is perhaps more conducive to the production of
alane species than the Ti-doped Al(100) surface despite its higher activation barrier
for the dissociation of molecular hydrogen.

¹DOE Contract No. DE-AC02-98CH10886 and a DOE BES Hydrogen Fuel Initiative
award (BO-130) using the NERSC computational resources

Altaf Karim
Brookhaven National Lab

Date submitted: 21 Nov 2008

Electronic form version 1.4